

Chicago Public Schools

6 Month Asbestos Surveillance

Fall 2011

School Aldridge School
Address 630 E. 131st St.

Oracle Unit 22641 **Building ID** 2710
Region 6 **General Services Route** 48

Asbestos Surveyor: _____

Survey Date: _____

E-mail Address: _____

CHECK HERE IF NO CHANGE TO ASBESTOS

A copy of the 2011/2012 notice to parents and staff regarding the asbestos management plan notification was distributed via:

Each child's backpack
 Notice printed in school's newsletter/calendar
 Other _____

Principal Signature _____

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|-------------------------|-------------------|----------------|--|---------------|-------------------|---------|-------------|-----------------|--------------|--------------------------------------|
| 03 | 9" x 9" Gray Floor Tile | 4400 | SF | Classrooms 101, 105, 109, 110, 114, Special Ed Rooms | Chrysotile | MISC | No | None | 0 | SF | |
| <i>3YR Inspector Comments:</i> | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| <i>Comments:</i> | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| <i>Comments:</i> | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

Oracle Unit: 22641

Page 1

Please send a copy of this report to Lynn Crivello, 125 S. Clark St., 17th Floor, GSR #125

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|---------------------------|-------------------|----------------|----------------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 04 | 12"x 12" Cream Floor Tile | 600 | SF | 2nd Floor Corridor 1962 Building | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|-----------------------|-------------------|----------------|---|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 05 | 9"x9" Gray Floor Tile | 10140 | SF | 2nd Floor Classrooms and Storage Room 1962 building | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|--------------------------------|-------------------|----------------|---|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 06 | 9" x 9" Gray Floor Tile Mastic | 4400 | SF | Classrooms 101, 105, 109, 110,114, Special Ed Rooms | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|-----------------------------------|-------------------|----------------|----------------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 07 | 12" x 12" Cream Floor Tile Mastic | 600 | SF | 1962 Building: 2nd Floor Corrido | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|--------------------------------|-------------------|----------------|---|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 08 | 9" x 9" Gray Floor Tile Mastic | 10140 | SF | 2nd Floor Classrooms and Storage Room 1962 building | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--|----------------------|-------------------|----------------|---|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 10 | Hardcoat Plaster | 12760 | SF | 1962 Building: 1st and 2nd Floor Classrooms | Assumed | SURFAC E | | | | | |
| 3YR Inspector Comments: This material was sampled during the 1989 Asbestos Building Inspection and Management Plan . Laboratory Analysis Results found in 1989 Management Plan | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Assumed | SURFAC E | | | | | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Assumed | SURFAC E | | | | | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|-------------------------------|-------------------|----------------|-------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 11 | Insulation in Fire Rated Door | 32 | SF | Boiler Room | Assumed | MISC | Yes | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Assumed | MISC | | | | | SF |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Assumed | MISC | | | | | SF |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------|-------------------|----------------|-------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 12 | Vinyl Baseboard | 200 | LF | All Purpose Room | Assumed | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | LF | | Assumed | MISC | | | | | SF |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | LF | | Assumed | MISC | | | | | SF |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|------------------------|-------------------|----------------|-------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 13 | Vinyl Baseboard Mastic | 200 | LF | All Purpose Room | Assumed | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | LF | | Assumed | MISC | | | | | SF |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | LF | | Assumed | MISC | | | | | SF |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------|-------------------|----------------|---|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 14 | Vinyl Baseboard | 200 | LF | 1962 Building: Southwest Section of South Corridor and Faculty Lounge I | Assumed | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | LF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | LF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|------------------------|-------------------|----------------|---|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 15 | Vinyl Baseboard Mastic | 200 | LF | 1962 Building: Southwest Section of South Corridor and Faculty Lounge I | Assumed | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | LF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | LF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--|---------------------------|-------------------|----------------|--|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 16 | 9" x 9" Orange Floor Tile | 4965 | SF | Classrooms 103, 104, 107, 108, 111, 112, 116, Corridor Storage, Health Room, All Purpose Room Office | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: Partial abatement in Boiler Room and Electrical Room | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--|----------------------------------|-------------------|----------------|--|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 17 | 9" x 9" Orange Floor Tile Mastic | 4965 | SF | Classrooms 103, 104, 107, 108, 111, 112, 116, Corridor Storage, Health Room, All Purpose Room Office | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: Partial abatement in Boiler Room and Electrical Room | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|--------------------------------|-------------------|----------------|------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 18 | 9" x 9" Light Brown Floor Tile | 250 | SF | All Purpose Room Vault | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|---------------------------------------|-------------------|----------------|------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 19 | 9" x 9" Light Brown Floor Tile Mastic | 265 | SF | All Purpose Room Vault | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|---------------------------|-------------------|----------------|--|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 20 | 9" x 9" Orange Floor Tile | 1066 | SF | 1962 Building: Rooms: 100, 103, 104, 107, 108, 109, 111, 112, 116, All Purpose Room, Corridor Storage, and Health Room | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | | | | | | | | | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | | | | | | | | | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------------------|-------------------|----------------|--------------------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 21 | 9" x 9" Orange Floor Tile Mastic | 1066 | SF | 1962 Building: Kindergarten Room 100 | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | | | | | | | | | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | | | | | | | | | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|--------------------------------|-------------------|----------------|--|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 22 | 9" x 9" Light Brown Floor Tile | 450 | SF | 1962 Building: Janitors Closet and Counselor's Office Storage Room | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | | | | | | | | | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | | | | | | | | | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|---------------------------------------|-------------------|----------------|--|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 23 | 9" x 9" Light Brown Floor Tile Mastic | 450 | SF | 1962 Building: Janitors Closet and Counselor's Office Storage Room | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------------|-------------------|----------------|-----------------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 24 | 12" x 12" Cream Floor Tile | 120 | SF | 1962 Building: 2nd Floor Corridor | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: . | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|---------------------------------|-------------------|----------------|-----------------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 25 | 9" x 9" Cream Floor Tile Mastic | 120 | SF | 1962 Building: 2nd Floor Corridor | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------------|-------------------|----------------|-------------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 26 | 12" x 12" Black Floor Tile | 400 | SF | 1962 Building: Faculty Lounge | Assumed | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|-----------------------------------|-------------------|----------------|-------------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 27 | 12" x 12" Black Floor Tile Mastic | 400 | SF | 1962 Building: Faculty Lounge | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------------|-------------------|----------------|------------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 28 | 12" x 12" Green Floor Tile | 525 | SF | 1962 Building: Public Office | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|-----------------------------------|-------------------|----------------|------------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 29 | 12" x 12" Green Floor Tile Mastic | 525 | SF | 1962 Building: Public Office | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------------------|-------------------|----------------|---|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 30 | 12" x 12" Light Brown Floor Tile | 3320 | SF | Room 102, All Purpose Room, Engineer's Office | Assumed | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|---|-------------------|----------------|---|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 31 | 12" x 12" Light Brown Floor Tile Mastic | 3320 | SF | Room 102, All Purpose Room, and Engineer's Office | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------------|-------------------|----------------|--|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 32 | 12" x 12" Cream Floor Tile | 1000 | SF | 1960 Building: Pre-Kindergarten Room 100 | Assumed | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|-----------------------------------|-------------------|----------------|--|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 33 | 12" x 12" Cream Floor Tile Mastic | 1066 | SF | 1960 Building: Pre-Kindergarten Room 100 | Assumed | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------------|-------------------|----------------|--------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 34 | 12" x 12" Brown Floor Tile | 580 | SF | All Purpose Room Offices | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|-----------------------------------|-------------------|----------------|--------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 35 | 12" x 12" Brown Floor Tile Mastic | 580 | SF | All Purpose Room Offices | Chrysotile | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Chrysotile | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------|-------------------|----------------|-------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| 36 | White Terrazo | 15000 | SF | Hallways and Stairwells | Assumed | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: New Material | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|---|-------------------|----------------|-------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| B | MJP E/F/V on Fiberglass Pipe Insulation | 20 | LF | 1960 Building | Assumed | TSI | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | LF | | Assumed | TSI | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | LF | | Assumed | TSI | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------|-------------------|----------------|-------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| C | Tank Insulation | 180 | SF | 1960 building | Assumed | TSI | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | | | | | | | | | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | | | | | | | | | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--|------------------------------|-------------------|----------------|----------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| D | Boiler Gasket (NOT OBSERVED) | 30 | LF | 1960 Building: Boiler Room | Chrysotile | MISC | No | | | | |
| 3YR Inspector Comments: Not Observed - No abatement records on-site - Boiler was replaced in 2008 as per Engineer. | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | | | | | | | | | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | | | | | | | | | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--|---------------------------------|-------------------|----------------|----------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| E | Boiler Breaching (NOT OBSERVED) | 90 | LF | 1960 Building: Boiler Room | Amosite | TSI | Yes | | | | |
| 3YR Inspector Comments: Not Observed - No abatement records on-site - Boiler was replaced in 2008 as per Engineer. | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | | | | | | | | | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | | | | | | | | | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|--|-------------------|----------------|-------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| F | Boiler#1 and Boiler#2: Insulation Under Steel Jacket | 320 | SF | Boiler Room | Assumed | TSI | Yes | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Assumed | TSI | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Assumed | TSI | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------|-------------------|----------------|-------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| G | Caulk on Boiler | 8 | LF | Boiler Room | Assumed | TSI | Yes | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | LF | | Assumed | TSI | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | LF | | Assumed | TSI | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------|-------------------|----------------|-------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| H | Trowled on Ceiling | 2000 | SF | Boiler Room | Assumed | SURFAC E | Yes | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Assumed | SURFAC E | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Assumed | SURFAC E | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|-------------------------------------|-------------------|----------------|----------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| I | Thermal System Insulation in Tunnel | 200 | LF | 1960 Building: Boiler Room | Assumed | TSI | Yes | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | LF | | Assumed | TSI | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | LF | | Assumed | TSI | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------|-------------------|----------------|-------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| J | Drywall / Compound | 207 | SF | 110, 113, PRE-K (RM100) | Assumed | MISC | Yes | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------|-------------------|----------------|------------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| K | Carpet Mastic | 500 | SF | 1962 Building: Public Office | Assumed | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | SF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.


| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|----------------------|-------------------|----------------|------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| L | Black Baseboard | 50 | LF | Rooms 110, 113 and 100 | Assumed | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | LF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | LF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

| HA No | Material Description | Material Quantity | Material Units | Material Location | Asbestos Type | Material Category | Friable | Damage Type | Damage Quantity | Damage Units | Change in Assessment Category |
|--------------------------------------|------------------------|-------------------|----------------|-----------------------------|---------------|-------------------|---------|-------------|-----------------|--------------|-------------------------------|
| M | Black Baseboard Mastic | 50 | LF | Rm 110, 113, Pre-K (rm 100) | Assumed | MISC | No | None | 0 | SF | |
| 3YR Inspector Comments: | | | | | | | | | | | |
| Condition Not Changed in Fall 2010 | | | LF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Condition Not Changed in Spring 2011 | | | LF | | Assumed | MISC | | | | SF | |
| Comments: | | | | | | | | | | | |
| Fall 2011 | | | | | | | | | | | YES NO |
| Comment: | | | | | | | | | | | |

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

All LEA Responsibilities, for this school, will be met.



Lynn A. Crivello

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

**NOTICE TO PARENTS AND STAFF REGARDING THE
ASBESTOS MANAGEMENT PLAN NOTIFICATION**

School: _____

Date: _____

This is to notify you in accordance with Illinois and Federal Asbestos Regulations, that a copy of the Asbestos Management Plan is available at each school during school hours by appointment. Requests to review the Asbestos Management Plan must be made at least 24 hours in advance.

Also please be advised that CPS conducts asbestos inspections of all schools every three years. The last inspection was completed in 2010. Asbestos surveillances are conducted every six months.

CHECK ONE

- A copy of this notice was sent home in each child's backpack.
- A copy of this notice was printed in the school's newsletter or calendar and sent home with each child.
- Other – Please indicate how this notice was delivered to parents and staff.

**A COPY OF THIS NOTICE MUST BE PLACED IN THE
SCHOOL'S ASBESTOS MANAGEMENT PLAN.**

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.