

Chicago Public Schools

6 Month Asbestos Surveillance

2024 Fall Six Month Survey

School: YCCS-West Town Acad Alternative HS
Address: 500 Sacramento

Oracle Unit: 66627
Region:

Building ID: WTNW
Mail Room: 38

☒ **CHECK HERE IF NO CHANGE TO ASBESTOS**

Asbestos Surveyor: Franco, Martha
Survey Date: 11/20/2024
Email Address:

A copy of the 2022/2023 notice to parents and staff regarding the asbestos management plan notifications was distributed via:

☐ Each child's backpack ☐ Notice printed in school's newsletter ☐ Notice printed in school's calendar ☒ Other | Mail

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

Oracle Unit: 66627

Page 1

ALL LEA Responsibilities, for this school, will be met.

A handwritten signature in black ink, appearing to read 'R. Schleyer', is positioned above a horizontal line.

Richard J. Schleyer

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.

NOTICE TO PARENTS AND STAFF REGARDING THE
ASBESTOS MANAGEMENT PLAN NOTIFICATION

School: YCCS-West Town Acad Alternative HS

Date: 8/1/2024

This is to notify you in accordance with Illinois and Federal Asbestos Regulations, that a copy of the Asbestos Management Plan is available at each school during school hours by appointment. Requests to review the Asbestos Management Plan must be made at least 24 hours in advance.

Also please be advised that CPS conducts asbestos inspections of all Schools every three years. The last inspection was completed in .
Asbestos surveillances are conducted every six months.

CHECK ONE

- ☐ A copy of this notice was sent home in each child's backpack.
- ☐ A copy of this notice was printed in the school's newsletter and sent home with each child
- ☐ A copy of this notice was printed in the school's calendar and sent home with each child
- ☒ Other. Mail

A COPY OF THIS NOTICE MUST BE PLACED IN THE
SCHOOL'S ASBESTOS MANAGEMENT PLAN.

VFT = Vinyl Floor Tile

Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.