

# Chicago Public Schools

## 6 Month Asbestos Surveillance

### 2025 Fall Six Month Survey

**School:** William K New Sullivan Elementary School  
**Address:** 8331 S. Mackinaw

**Oracle Unit:** 25541  
**Region:** 06

**Building ID:** 6100  
**Mail Room:** 47

**CHECK HERE IF NO CHANGE TO ASBESTOS**

**Asbestos Surveyor:** Amador, Carlos  
**Survey Date:** 2/13/2026  
**Email Address:** \_\_\_\_\_

A copy of the 2025/2026 notice to parents and staff regarding the asbestos management plan notifications was distributed via:

*Each child's backpack*     *Notice printed in school's newsletter*     *Notice printed in school's calendar*     *Other* |

**VFT = Vinyl Floor Tile**

**Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.**

*ALL LEA Responsibilities, for this school, will be met.*

*Richard J. Schleyer*

---

Richard J.Schleyer

***VFT = Vinyl Floor Tile***

***Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.***

NOTICE TO PARENTS AND STAFF REGARDING THE  
ASBESTOS MANAGEMENT PLAN NOTIFICATION

School: William K New Sullivan Elementary School

Date: 8/1/2025

---

This is to notify you in accordance with Illinois and Federal Asbestos Regulations, that a copy of the Asbestos Management Plan is available at each school during school hours by appointment. Requests to review the Asbestos Management Plan must be made at least 24 hours in advance.

Also please be advised that CPS conducts asbestos inspections of all Schools every three years. The last inspection was completed in .  
Asbestos surveillances are conducted every six months.

CHECK ONE

- A copy of this notice was sent home in each child's backpack.
- A copy of this notice was printed in the school's newsletter and sent home with each child
- A copy of this notice was printed in the school's calendar and sent home with each child
- Other.
- 

A COPY OF THIS NOTICE MUST BE PLACED IN THE  
SCHOOL'S ASBESTOS MANAGEMENT PLAN.

***VFT = Vinyl Floor Tile***

***Friable = Can be crumbled, pulverized, or reduced to powder by hand pressure.***