



**Sep 10, 2024**

**PERSHING**

**3200 S CALUMET AVE, Chicago IL 60616.**

Dear **PERSHING** families,

In 2016, Chicago Public Schools (CPS) began sampling for lead in drinking water from all schools across the district. Our top priority is the health and safety of our students and staff, and this testing was initiated out of an abundance of caution to ensure the water in our schools is safe.

Per the Environmental Protection Agency's (EPA) guidance on lead in drinking water, lead concentrations in drinking water should not exceed 15 parts per billion (ppb). Per the Illinois Department of Public Health (IDPH) guidance, lead concentrations in drinking water shall not exceed 5 ppb. For fixtures that have sample results equal to or above the Illinois Department of Public Health's standard of 5 ppb, these fixtures have been taken out of service until the issue is addressed and the fixture has been retested. No fixture will be returned to service until the Illinois Department of Public Health standard for lead in drinking water is met. Chicago's water supply is free of lead when it leaves the treatment plant. However, lead can be found in some interior plumbing fixtures and materials, and lead found in tap water usually comes from the corrosion of these items. This explains why some fixtures return with elevated results. The issue is not system-wide, but it is specific to the fixtures or pipes that will be addressed through the remediation plan.

Federal guidance indicates that children under the age of six are at the highest risk for harmful lead exposure, and they can be exposed to lead from a variety of sources, including paint, soil and even some consumer products. If you are concerned about your child's possible lead exposure risks, the Chicago Department of Public Health (CDPH) recommends going to your pediatrician or one of the local health care providers listed in the attachment for testing. Additionally, CDPH's lead hotline can address any health-related questions you may have or help you in deciding whether to have your child tested; for questions or more information, please call 312-747-5323. For additional information about lead and children, visit [www.cdc.gov/lead](http://www.cdc.gov/lead).

The safety of your children is our highest priority, and we are doing everything in our power to address this situation in a quick and thorough manner. We will continue to keep you and your family informed throughout this process.

Sincerely,

A handwritten signature in black ink that reads "Richard J. Schleyer".

Richard J. Schleyer

Director of Environmental Health and Safety

Chicago Public Schools



**Sep 10, 2024**

**PERSHING**

**3200 S CALUMET AVE, Chicago IL 60616.**

Estimadas familias de **PERSHING**:

En 2016, las Escuelas Públicas de Chicago (CPS) comenzaron a inspeccionar el agua potable de las escuelas del distrito en búsqueda de plomo. Nuestra primera prioridad es la salud y la seguridad de nuestros estudiantes y personal, y estas pruebas se iniciaron para ser precavidos y confirmar que el agua en nuestras escuelas estuviera segura.

Según las directrices de la Agencia de Protección Ambiental (EPA, según sus siglas en inglés) en cuanto al plomo en el agua potable la concentración de plomo en el agua potable no debe exceder 15 partes por mil millones (ppb, según sus siglas en inglés). Según las directrices del Departamento de Salud Pública de Illinois (IDPH, según sus siglas en inglés), las concentraciones de plomo en el agua potable no deben exceder 5 ppb.

Las instalaciones que al ser examinadas demostraron resultados que iguallen o sobrepasaran el estándar del IDPH de 5 ppb han sido removidas de servicio hasta que el asunto sea resuelto y la instalación haya sido reexaminada. Ninguna instalación será regresada al servicio hasta que cumpla con los estándares de plomo en el agua del IDPH.

El agua de Chicago no contiene plomo al salir de la planta de tratamiento. Sin embargo, se puede encontrar plomo en algunas instalaciones y materiales de plomería interiores, y el plomo encontrado en el agua de pluma normalmente surge de la corrosión en estos artículos. Esto explica por qué algunas instalaciones regresan con resultados elevados. El asunto no está generalizado en el sistema, sino que es específico para instalaciones o tuberías que serán trabajadas por el plan de remediación.

Las directrices federales indican que los niños de menos de seis años sufren el mayor riesgo de exposición dañina al plomo, y pueden ser expuestos al plomo de una variedad de fuentes, que incluyen la pintura, el terreno y hasta algunos productos para el consumidor. Si está preocupado sobre los riesgos posibles de ser expuesto al plomo, el Departamento de Salud Pública de Chicago (CDPH) recomienda ir a su pediatra o uno de los proveedores de atención médica locales incluidos en el anejo para que sea examinado. Adicionalmente, la línea directa sobre el plomo del CDPH puede responder a cualquier pregunta de salud que tenga o ayudarlo y a decidir si hacerle una prueba a su niño; para preguntas o más información sobre el plomo y los niños, visite <https://www.cdc.gov/nceh/lead/>.

La seguridad de sus niños es nuestra primera prioridad, y estamos haciendo todo lo posible para responder a esta situación lo más rápida y rigurosamente posible. Continuaremos a mantenerlos a ustedes y sus familias informadas durante este proceso.

Sinceramente,

A handwritten signature in black ink that reads "Richard J. Schleyer".

Richard J. Schleyer  
Director de Salud y Seguridad Ambientales  
Escuelas Públicas de Chicago

Facility ID	Fixture Code	Fixture Location	Draw Type	Collected On	Result	UOM
51682	51682-ADD-2-HAL-RBF02	Addition- 2nd Floor By Boys Washroom, Retrofit Bottle Filler, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-RBF02	Addition- 2nd Floor By Boys Washroom, Retrofit Bottle Filler, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-RBF02	Addition- 2nd Floor By Boys Washroom, Retrofit Bottle Filler, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-RBF02	Addition- 2nd Floor By Boys Washroom, Retrofit Bottle Filler, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-RBF02	Addition- 2nd Floor By Boys Washroom, Retrofit Bottle Filler, Right	Initial	24-MAY-22	1.060	ug/L
51682	51682-ADD-2-HAL-F02	Addition- 2nd Floor By Boys Washroom, Fountain	Flush180	16-JUN-16	0.255	ppb
51682	51682-ADD-2-HAL-F02	Addition- 2nd Floor By Boys Washroom, Fountain	Flush180	16-JUN-16	0.538	ppb
51682	51682-ADD-2-HAL-F02	Addition- 2nd Floor By Boys Washroom, Fountain	Flush180	16-JUN-16	0.558	ppb
51682	51682-ADD-2-HAL-F02	Addition- 2nd Floor By Boys Washroom, Fountain	Flush180	16-JUN-16	0.350	ppb
51682	51682-ADD-2-HAL-F02	Addition- 2nd Floor By Boys Washroom, Fountain	Initial	16-JUN-16	0.212	ppb
51682	51682-ADD-2-HAL-F05	Addition- 2nd Floor By Girls Washroom (225), Fountain, RIGHT	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-F05	Addition- 2nd Floor By Girls Washroom (225), Fountain, RIGHT	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-F05	Addition- 2nd Floor By Girls Washroom (225), Fountain, RIGHT	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-F05	Addition- 2nd Floor By Girls Washroom (225), Fountain, RIGHT	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-F05	Addition- 2nd Floor By Girls Washroom (225), Fountain, RIGHT	Initial	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-F04	Addition- 2nd Floor By Girls Washroom, Fountain	Flush180	16-JUN-16	0.492	ppb
51682	51682-ADD-2-HAL-F04	Addition- 2nd Floor By Girls Washroom, Fountain	Flush180	16-JUN-16	0.430	ppb
51682	51682-ADD-2-HAL-F04	Addition- 2nd Floor By Girls Washroom, Fountain	Flush180	16-JUN-16	0.586	ppb
51682	51682-ADD-2-HAL-F04	Addition- 2nd Floor By Girls Washroom, Fountain	Flush180	16-JUN-16	0.946	ppb
51682	51682-ADD-2-HAL-F04	Addition- 2nd Floor By Girls Washroom, Fountain	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-F04	Addition- 2nd Floor By Girls Washroom, Fountain	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-F04	Addition- 2nd Floor By Girls Washroom, Fountain	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-F04	Addition- 2nd Floor By Girls Washroom, Fountain	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-2-HAL-F04	Addition- 2nd Floor By Girls Washroom, Fountain	Initial	16-JUN-16	0.669	ppb
51682	51682-ADD-2-HAL-F04	Addition- 2nd Floor By Girls Washroom, Fountain	Initial	24-MAY-22	1.000	ug/L
51682	51682-ADD-B-HAL-F01	Addition- Basement By Room 011-2, Fountian 1	Flush180	16-JUN-16	0.614	ppb
51682	51682-ADD-B-HAL-F01	Addition- Basement By Room 011-2, Fountian 1	Flush180	16-JUN-16	0.336	ppb
51682	51682-ADD-B-HAL-F01	Addition- Basement By Room 011-2, Fountian 1	Flush180	16-JUN-16	0.739	ppb
51682	51682-ADD-B-HAL-F01	Addition- Basement By Room 011-2, Fountian 1	Flush180	16-JUN-16	0.247	ppb
51682	51682-ADD-B-HAL-F01	Addition- Basement By Room 011-2, Fountian 1	Flush180	20-AUG-20	1.000	ug/L



Facility ID	Fixture Code	Fixture Location	Draw Type	Collected On	Result	UOM
51682	51682-ADD-B-HAL-F01	Addition- Basement By Room 011-2, Fountian 1	Initial	16-JUN-16	0.340	ppb
51682	51682-ADD-B-HAL-F01	Addition- Basement By Room 011-2, Fountian 1	Initial	20-AUG-20	1.000	ug/L
51682	51682-ADD-B-HAL-F02	Addition- Basement By Room 011-2, Fountian 2	Flush180	16-JUN-16	0.293	ppb
51682	51682-ADD-B-HAL-F02	Addition- Basement By Room 011-2, Fountian 2	Flush180	16-JUN-16	0.348	ppb
51682	51682-ADD-B-HAL-F02	Addition- Basement By Room 011-2, Fountian 2	Flush180	16-JUN-16	0.270	ppb
51682	51682-ADD-B-HAL-F02	Addition- Basement By Room 011-2, Fountian 2	Flush180	16-JUN-16	0.261	ppb
51682	51682-ADD-B-HAL-F02	Addition- Basement By Room 011-2, Fountian 2	Initial	16-JUN-16	0.588	ppb
51682	51682-ADD-B-KIT-KS03	Addition- Basement Kitchen, Sink	Flush180	16-JUN-16	1.000	ppb
51682	51682-ADD-B-KIT-KS03	Addition- Basement Kitchen, Sink	Flush180	16-JUN-16	1.310	ppb
51682	51682-ADD-B-KIT-KS03	Addition- Basement Kitchen, Sink	Flush180	16-JUN-16	0.802	ppb
51682	51682-ADD-B-KIT-KS03	Addition- Basement Kitchen, Sink	Flush180	16-JUN-16	1.000	ppb
51682	51682-ADD-B-KIT-KS03	Addition- Basement Kitchen, Sink	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-B-KIT-KS03	Addition- Basement Kitchen, Sink	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-B-KIT-KS03	Addition- Basement Kitchen, Sink	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-B-KIT-KS03	Addition- Basement Kitchen, Sink	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-B-KIT-KS03	Addition- Basement Kitchen, Sink	Initial	16-JUN-16	1.000	ppb
51682	51682-ADD-B-KIT-KS03	Addition- Basement Kitchen, Sink	Initial	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F01	Addition- By Room 115, Fountian 1	Flush180	16-JUN-16	0.174	ppb
51682	51682-ADD-1-HAL-F01	Addition- By Room 115, Fountian 1	Flush180	16-JUN-16	0.181	ppb
51682	51682-ADD-1-HAL-F01	Addition- By Room 115, Fountian 1	Flush180	16-JUN-16	1.000	ppb
51682	51682-ADD-1-HAL-F01	Addition- By Room 115, Fountian 1	Flush180	16-JUN-16	0.169	ppb
51682	51682-ADD-1-HAL-F01	Addition- By Room 115, Fountian 1	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F01	Addition- By Room 115, Fountian 1	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F01	Addition- By Room 115, Fountian 1	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F01	Addition- By Room 115, Fountian 1	Initial	16-JUN-16	0.789	ppb
51682	51682-ADD-1-HAL-F01	Addition- By Room 115, Fountian 1	Initial	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F02	Addition- By Room 115, Fountian 2	Flush180	16-JUN-16	0.267	ppb
51682	51682-ADD-1-HAL-F02	Addition- By Room 115, Fountian 2	Flush180	16-JUN-16	0.170	ppb
51682	51682-ADD-1-HAL-F02	Addition- By Room 115, Fountian 2	Flush180	16-JUN-16	0.190	ppb
51682	51682-ADD-1-HAL-F02	Addition- By Room 115, Fountian 2	Flush180	16-JUN-16	1.000	ppb
51682	51682-ADD-1-HAL-F02	Addition- By Room 115, Fountian 2	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F02	Addition- By Room 115, Fountian 2	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F02	Addition- By Room 115, Fountian 2	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F02	Addition- By Room 115, Fountian 2	Initial	16-JUN-16	1.000	ppb
51682	51682-ADD-1-HAL-F02	Addition- By Room 115, Fountian 2	Initial	24-MAY-22	1.000	ug/L

Facility ID	Fixture Code	Fixture Location	Draw Type	Collected On	Result	UOM
51682	51682-ADD-3-HAL-F01	Addition- By Room 317, Fountain 1	Flush180	16-JUN-16	0.392	ppb
51682	51682-ADD-3-HAL-F01	Addition- By Room 317, Fountain 1	Flush180	16-JUN-16	0.303	ppb
51682	51682-ADD-3-HAL-F01	Addition- By Room 317, Fountain 1	Flush180	16-JUN-16	0.317	ppb
51682	51682-ADD-3-HAL-F01	Addition- By Room 317, Fountain 1	Flush180	16-JUN-16	0.322	ppb
51682	51682-ADD-3-HAL-F01	Addition- By Room 317, Fountain 1	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-F01	Addition- By Room 317, Fountain 1	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-F01	Addition- By Room 317, Fountain 1	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-F01	Addition- By Room 317, Fountain 1	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-F01	Addition- By Room 317, Fountain 1	Initial	16-JUN-16	0.407	ppb
51682	51682-ADD-3-HAL-F01	Addition- By Room 317, Fountain 1	Initial	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-F02	Addition- By Room 317, Fountain 2	Flush180	16-JUN-16	0.573	ppb
51682	51682-ADD-3-HAL-F02	Addition- By Room 317, Fountain 2	Flush180	16-JUN-16	0.557	ppb
51682	51682-ADD-3-HAL-F02	Addition- By Room 317, Fountain 2	Flush180	16-JUN-16	0.587	ppb
51682	51682-ADD-3-HAL-F02	Addition- By Room 317, Fountain 2	Flush180	16-JUN-16	0.612	ppb
51682	51682-ADD-3-HAL-F02	Addition- By Room 317, Fountain 2	Initial	16-JUN-16	0.824	ppb
51682	51682-ADD-3-HAL-RBF02	Addition- By Room 317, Fountain, Retrofit Bottle Filler, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-RBF02	Addition- By Room 317, Fountain, Retrofit Bottle Filler, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-RBF02	Addition- By Room 317, Fountain, Retrofit Bottle Filler, Right	Flush180	24-MAY-22	1.640	ug/L
51682	51682-ADD-3-HAL-RBF02	Addition- By Room 317, Fountain, Retrofit Bottle Filler, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-RBF02	Addition- By Room 317, Fountain, Retrofit Bottle Filler, Right	Initial	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-F03	Addition- By Room 325, Fountain, LEFT	Flush180	16-JUN-16	1.150	ppb
51682	51682-ADD-3-HAL-F03	Addition- By Room 325, Fountain, LEFT	Flush180	16-JUN-16	1.430	ppb
51682	51682-ADD-3-HAL-F03	Addition- By Room 325, Fountain, LEFT	Flush180	16-JUN-16	1.300	ppb
51682	51682-ADD-3-HAL-F03	Addition- By Room 325, Fountain, LEFT	Flush180	16-JUN-16	1.690	ppb
51682	51682-ADD-3-HAL-F03	Addition- By Room 325, Fountain, LEFT	Flush180	24-MAY-22	1.050	ug/L
51682	51682-ADD-3-HAL-F03	Addition- By Room 325, Fountain, LEFT	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-F03	Addition- By Room 325, Fountain, LEFT	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-F03	Addition- By Room 325, Fountain, LEFT	Initial	16-JUN-16	2.090	ppb
51682	51682-ADD-3-HAL-F03	Addition- By Room 325, Fountain, LEFT	Initial	24-MAY-22	1.650	ug/L
51682	51682-ADD-3-HAL-F04	Addition- By Room 325, Fountain, RIGHT	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-F04	Addition- By Room 325, Fountain, RIGHT	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-F04	Addition- By Room 325, Fountain, RIGHT	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-F04	Addition- By Room 325, Fountain, RIGHT	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-3-HAL-F04	Addition- By Room 325, Fountain, RIGHT	Initial	24-MAY-22	1.000	ug/L
51682	51682-1-N-109-S01	Classroom 109	Flush180	31-AUG-19	5.290	ug/L
51682	51682-1-N-109-S01	Classroom 109	Flush180	31-AUG-19	3.340	ug/L
51682	51682-1-N-	Classroom 109	Flush180	31-AUG-19	1.970	ug/L



Facility ID	Fixture Code	Fixture Location	Draw Type	Collected On	Result	UOM
	109-S01					
51682	51682-1-N-109-S01	Classroom 109	Flush180	31-AUG-19	1.220	ug/L
51682	51682-1-N-109-S01	Classroom 109	Flush180	26-NOV-19	1.000	ug/L
51682	51682-1-N-109-S01	Classroom 109	Flush180	26-NOV-19	1.000	ug/L
51682	51682-1-N-109-S01	Classroom 109	Flush180	26-NOV-19	1.000	ug/L
51682	51682-1-N-109-S01	Classroom 109	Flush180	26-NOV-19	1.000	ug/L
51682	51682-1-N-109-S01	Classroom 109	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-N-109-S01	Classroom 109	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-N-109-S01	Classroom 109	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-N-109-S01	Classroom 109	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-N-109-S01	Classroom 109	Initial	31-AUG-19	10.300	ug/L
51682	51682-1-N-109-S01	Classroom 109	Initial	26-NOV-19	3.250	ug/L
51682	51682-1-N-109-S01	Classroom 109	Initial	24-MAY-22	1.000	ug/L
51682	51682-1-103-F01	Fountain in room 103	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-103-F01	Fountain in room 103	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-103-F01	Fountain in room 103	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-103-F01	Fountain in room 103	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-103-F01	Fountain in room 103	Initial	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F03	Left fountain across from 125	Flush180	24-MAY-22	1.160	ug/L
51682	51682-ADD-1-HAL-F03	Left fountain across from 125	Flush180	24-MAY-22	1.110	ug/L
51682	51682-ADD-1-HAL-F03	Left fountain across from 125	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F03	Left fountain across from 125	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F03	Left fountain across from 125	Initial	24-MAY-22	1.500	ug/L
51682	51682-1-HAL-F06	Main- 1st Floor By Girls Washroom, Fountain 2	Flush180	16-JUN-16	0.188	ppb
51682	51682-1-HAL-F06	Main- 1st Floor By Girls Washroom, Fountain 2	Flush180	16-JUN-16	0.187	ppb
51682	51682-1-HAL-F06	Main- 1st Floor By Girls Washroom, Fountain 2	Flush180	16-JUN-16	0.180	ppb
51682	51682-1-HAL-F06	Main- 1st Floor By Girls Washroom, Fountain 2	Flush180	16-JUN-16	1.000	ppb
51682	51682-1-HAL-F06	Main- 1st Floor By Girls Washroom, Fountain 2	Initial	16-JUN-16	0.214	ppb
51682	51682-2-HAL-RBF01	Main- 2nd Floor By Boys Washroom (203) , Retrofit Bottle Filler, Left	Flush180	24-MAY-22	1.490	ug/L
51682	51682-2-HAL-RBF01	Main- 2nd Floor By Boys Washroom (203) , Retrofit Bottle Filler, Left	Flush180	24-MAY-22	1.320	ug/L
51682	51682-2-HAL-RBF01	Main- 2nd Floor By Boys Washroom (203) , Retrofit Bottle Filler, Left	Flush180	24-MAY-22	1.040	ug/L
51682	51682-2-HAL-RBF01	Main- 2nd Floor By Boys Washroom (203) , Retrofit Bottle Filler, Left	Flush180	24-MAY-22	1.390	ug/L
51682	51682-2-HAL-RBF01	Main- 2nd Floor By Boys Washroom (203) , Retrofit Bottle Filler, Left	Initial	24-MAY-22	1.250	ug/L
51682	51682-2-HAL-F01	Main- 2nd Floor By Boys Washroom, Fountain	Flush180	16-JUN-16	0.913	ppb
51682	51682-2-HAL-F01	Main- 2nd Floor By Boys Washroom, Fountain	Flush180	16-JUN-16	1.040	ppb

Facility ID	Fixture Code	Fixture Location	Draw Type	Collected On	Result	UOM
51682	51682-2-HAL-F01	Main- 2nd Floor By Boys Washroom, Fountain	Flush180	16-JUN-16	1.040	ppb
51682	51682-2-HAL-F01	Main- 2nd Floor By Boys Washroom, Fountain	Flush180	16-JUN-16	0.788	ppb
51682	51682-2-HAL-F01	Main- 2nd Floor By Boys Washroom, Fountain	Flush180	24-MAY-22	1.270	ug/L
51682	51682-2-HAL-F01	Main- 2nd Floor By Boys Washroom, Fountain	Flush180	24-MAY-22	1.270	ug/L
51682	51682-2-HAL-F01	Main- 2nd Floor By Boys Washroom, Fountain	Flush180	24-MAY-22	1.270	ug/L
51682	51682-2-HAL-F01	Main- 2nd Floor By Boys Washroom, Fountain	Flush180	24-MAY-22	1.400	ug/L
51682	51682-2-HAL-F01	Main- 2nd Floor By Boys Washroom, Fountain	Initial	16-JUN-16	1.310	ppb
51682	51682-2-HAL-F01	Main- 2nd Floor By Boys Washroom, Fountain	Initial	24-MAY-22	1.000	ug/L
51682	51682-2-HAL-F03	Main- 2nd Floor By Girls Washroom, Fountain	Flush180	16-JUN-16	1.770	ppb
51682	51682-2-HAL-F03	Main- 2nd Floor By Girls Washroom, Fountain	Flush180	16-JUN-16	0.851	ppb
51682	51682-2-HAL-F03	Main- 2nd Floor By Girls Washroom, Fountain	Flush180	16-JUN-16	1.150	ppb
51682	51682-2-HAL-F03	Main- 2nd Floor By Girls Washroom, Fountain	Flush180	16-JUN-16	1.400	ppb
51682	51682-2-HAL-F03	Main- 2nd Floor By Girls Washroom, Fountain	Flush180	24-MAY-22	1.000	ug/L
51682	51682-2-HAL-F03	Main- 2nd Floor By Girls Washroom, Fountain	Flush180	24-MAY-22	1.000	ug/L
51682	51682-2-HAL-F03	Main- 2nd Floor By Girls Washroom, Fountain	Flush180	24-MAY-22	1.000	ug/L
51682	51682-2-HAL-F03	Main- 2nd Floor By Girls Washroom, Fountain	Flush180	24-MAY-22	1.000	ug/L
51682	51682-2-HAL-F03	Main- 2nd Floor By Girls Washroom, Fountain	Initial	16-JUN-16	0.990	ppb
51682	51682-2-HAL-F03	Main- 2nd Floor By Girls Washroom, Fountain	Initial	24-MAY-22	1.000	ug/L
51682	51682-2-HAL-F02	Main- 2nd Floor By Girls Washroom, Fountain, Left	Flush180	24-MAY-22	1.030	ug/L
51682	51682-2-HAL-F02	Main- 2nd Floor By Girls Washroom, Fountain, Left	Flush180	24-MAY-22	1.000	ug/L
51682	51682-2-HAL-F02	Main- 2nd Floor By Girls Washroom, Fountain, Left	Flush180	24-MAY-22	1.000	ug/L
51682	51682-2-HAL-F02	Main- 2nd Floor By Girls Washroom, Fountain, Left	Initial	24-MAY-22	2.190	ug/L
51682	51682-3-HAL-F01	Main- 3rd Floor By Boys Washroom, Fountain 1	Flush180	16-JUN-16	5.830	ppb
51682	51682-3-HAL-F01	Main- 3rd Floor By Boys Washroom, Fountain 1	Flush180	16-JUN-16	3.760	ppb
51682	51682-3-HAL-F01	Main- 3rd Floor By Boys Washroom, Fountain 1	Flush180	16-JUN-16	2.950	ppb
51682	51682-3-HAL-F01	Main- 3rd Floor By Boys Washroom, Fountain 1	Flush180	16-JUN-16	2.940	ppb
51682	51682-3-HAL-F01	Main- 3rd Floor By Boys Washroom, Fountain 1	Flush180	24-MAY-22	2.960	ug/L
51682	51682-3-HAL-F01	Main- 3rd Floor By Boys Washroom, Fountain 1	Flush180	24-MAY-22	1.920	ug/L
51682	51682-3-HAL-F01	Main- 3rd Floor By Boys Washroom, Fountain 1	Flush180	24-MAY-22	1.210	ug/L
51682	51682-3-HAL-F01	Main- 3rd Floor By Boys Washroom, Fountain 1	Flush180	24-MAY-22	1.000	ug/L
51682	51682-3-HAL-F01	Main- 3rd Floor By Boys Washroom, Fountain 1	Initial	16-JUN-16	3.490	ppb
51682	51682-3-HAL-F01	Main- 3rd Floor By Boys Washroom, Fountain 1	Initial	24-MAY-22	3.140	ug/L
51682	51682-3-HAL-F02	Main- 3rd Floor By Boys Washroom, Fountain 2	Flush180	16-JUN-16	3.110	ppb
51682	51682-3-HAL-F02	Main- 3rd Floor By Boys Washroom, Fountain 2	Flush180	16-JUN-16	3.190	ppb
51682	51682-3-HAL-F02	Main- 3rd Floor By Boys Washroom, Fountain 2	Flush180	16-JUN-16	3.080	ppb
51682	51682-3-HAL-F02	Main- 3rd Floor By Boys Washroom, Fountain 2	Flush180	16-JUN-16	4.660	ppb
51682	51682-3-HAL-	Main- 3rd Floor By Boys	Flush180	20-AUG-20	1.580	ug/L



Facility ID	Fixture Code	Fixture Location	Draw Type	Collected On	Result	UOM
	F02	Washroom, Fountain 2				
51682	51682-3-HAL-F02	Main- 3rd Floor By Boys Washroom, Fountain 2	Initial	16-JUN-16	2.870	ppb
51682	51682-3-HAL-F02	Main- 3rd Floor By Boys Washroom, Fountain 2	Initial	20-AUG-20	3.690	ug/L
51682	51682-3-HAL-RBF01	Main- 3rd Floor By Boys Washroom, Retrofit Bottle Filler, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-3-HAL-RBF01	Main- 3rd Floor By Boys Washroom, Retrofit Bottle Filler, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-3-HAL-RBF01	Main- 3rd Floor By Boys Washroom, Retrofit Bottle Filler, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-3-HAL-RBF01	Main- 3rd Floor By Boys Washroom, Retrofit Bottle Filler, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-3-HAL-RBF01	Main- 3rd Floor By Boys Washroom, Retrofit Bottle Filler, Right	Initial	24-MAY-22	1.400	ug/L
51682	51682-3-HAL-F03	Main- 3rd Floor By Girls Washroom, Fountain	Flush180	16-JUN-16	4.130	ppb
51682	51682-3-HAL-F03	Main- 3rd Floor By Girls Washroom, Fountain	Flush180	16-JUN-16	2.970	ppb
51682	51682-3-HAL-F03	Main- 3rd Floor By Girls Washroom, Fountain	Flush180	16-JUN-16	5.320	ppb
51682	51682-3-HAL-F03	Main- 3rd Floor By Girls Washroom, Fountain	Flush180	16-JUN-16	4.890	ppb
51682	51682-3-HAL-F03	Main- 3rd Floor By Girls Washroom, Fountain	Flush180	24-MAY-22	1.360	ug/L
51682	51682-3-HAL-F03	Main- 3rd Floor By Girls Washroom, Fountain	Flush180	24-MAY-22	1.420	ug/L
51682	51682-3-HAL-F03	Main- 3rd Floor By Girls Washroom, Fountain	Flush180	24-MAY-22	1.320	ug/L
51682	51682-3-HAL-F03	Main- 3rd Floor By Girls Washroom, Fountain	Flush180	24-MAY-22	1.000	ug/L
51682	51682-3-HAL-F03	Main- 3rd Floor By Girls Washroom, Fountain	Initial	16-JUN-16	6.910	ppb
51682	51682-3-HAL-F03	Main- 3rd Floor By Girls Washroom, Fountain	Initial	24-MAY-22	1.450	ug/L
51682	51682-3-HAL-F04	Main- 3rd Floor By Girls Washroom, Fountain, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-3-HAL-F04	Main- 3rd Floor By Girls Washroom, Fountain, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-3-HAL-F04	Main- 3rd Floor By Girls Washroom, Fountain, Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-3-HAL-F04	Main- 3rd Floor By Girls Washroom, Fountain, Right	Initial	24-MAY-22	1.000	ug/L
51682	51682-1-107-F03	Main- Inside Room 107, Fountian	Flush180	16-JUN-16	1.030	ppb
51682	51682-1-107-F03	Main- Inside Room 107, Fountian	Flush180	16-JUN-16	0.245	ppb
51682	51682-1-107-F03	Main- Inside Room 107, Fountian	Flush180	16-JUN-16	0.198	ppb
51682	51682-1-107-F03	Main- Inside Room 107, Fountian	Flush180	16-JUN-16	0.288	ppb
51682	51682-1-107-F03	Main- Inside Room 107, Fountian	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-107-F03	Main- Inside Room 107, Fountian	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-107-F03	Main- Inside Room 107, Fountian	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-107-F03	Main- Inside Room 107, Fountian	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-107-F03	Main- Inside Room 107, Fountian	Initial	16-JUN-16	0.201	ppb
51682	51682-1-107-F03	Main- Inside Room 107, Fountian	Initial	24-MAY-22	1.000	ug/L
51682	51682-1-HAL-RBF02	Main- Outside Main Office, Bottle Filler, Right	Flush180	19-JUL-22	4.990	ug/L
51682	51682-1-HAL-RBF02	Main- Outside Main Office, Bottle Filler, Right	Flush180	19-JUL-22	3.640	ug/L



Facility ID	Fixture Code	Fixture Location	Draw Type	Collected On	Result	UOM
51682	51682-1-HAL-RBF02	Main- Outside Main Office, Bottle Filler, Right	Flush180	19-JUL-22	2.750	ug/L
51682	51682-1-HAL-RBF02	Main- Outside Main Office, Bottle Filler, Right	Flush180	19-JUL-22	1.140	ug/L
51682	51682-1-HAL-RBF02	Main- Outside Main Office, Bottle Filler, Right	Initial	19-JUL-22	2.500	ug/L
51682	51682-1-HAL-F01	Main- Outside Main Office, Fountain	Flush180	16-JUN-16	1.890	ppb
51682	51682-1-HAL-F01	Main- Outside Main Office, Fountain	Flush180	16-JUN-16	0.849	ppb
51682	51682-1-HAL-F01	Main- Outside Main Office, Fountain	Flush180	16-JUN-16	1.270	ppb
51682	51682-1-HAL-F01	Main- Outside Main Office, Fountain	Flush180	16-JUN-16	3.150	ppb
51682	51682-1-HAL-F01	Main- Outside Main Office, Fountain	Flush180	24-MAY-22	6.670	ug/L
51682	51682-1-HAL-F01	Main- Outside Main Office, Fountain	Flush180	24-MAY-22	4.960	ug/L
51682	51682-1-HAL-F01	Main- Outside Main Office, Fountain	Flush180	24-MAY-22	3.110	ug/L
51682	51682-1-HAL-F01	Main- Outside Main Office, Fountain	Flush180	24-MAY-22	2.740	ug/L
51682	51682-1-HAL-F01	Main- Outside Main Office, Fountain	Initial	16-JUN-16	3.920	ppb
51682	51682-1-HAL-F01	Main- Outside Main Office, Fountain	Initial	24-MAY-22	4.510	ug/L
51682	51682-1-HAL-F04	Main- Outside Room 105, Fountain 1	Flush180	16-JUN-16	4.260	ppb
51682	51682-1-HAL-F04	Main- Outside Room 105, Fountain 1	Flush180	16-JUN-16	1.600	ppb
51682	51682-1-HAL-F04	Main- Outside Room 105, Fountain 1	Flush180	16-JUN-16	2.240	ppb
51682	51682-1-HAL-F04	Main- Outside Room 105, Fountain 1	Flush180	16-JUN-16	2.260	ppb
51682	51682-1-HAL-F04	Main- Outside Room 105, Fountain 1	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-HAL-F04	Main- Outside Room 105, Fountain 1	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-HAL-F04	Main- Outside Room 105, Fountain 1	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-HAL-F04	Main- Outside Room 105, Fountain 1	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-HAL-F04	Main- Outside Room 105, Fountain 1	Initial	16-JUN-16	2.080	ppb
51682	51682-1-HAL-F04	Main- Outside Room 105, Fountain 1	Initial	24-MAY-22	1.410	ug/L
51682	51682-1-HAL-F05	Main- Outside Room 105, Fountain 2	Flush180	16-JUN-16	5.260	ppb
51682	51682-1-HAL-F05	Main- Outside Room 105, Fountain 2	Flush180	16-JUN-16	9.720	ppb
51682	51682-1-HAL-F05	Main- Outside Room 105, Fountain 2	Flush180	16-JUN-16	5.970	ppb
51682	51682-1-HAL-F05	Main- Outside Room 105, Fountain 2	Flush180	16-JUN-16	4.720	ppb
51682	51682-1-HAL-F05	Main- Outside Room 105, Fountain 2	Initial	16-JUN-16	12.000	ppb
51682	51682-1-HAL-RBF01	Main- Outside Room 105, Retrofit Bottle Filler Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-HAL-RBF01	Main- Outside Room 105, Retrofit Bottle Filler Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-HAL-RBF01	Main- Outside Room 105, Retrofit Bottle Filler Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-HAL-RBF01	Main- Outside Room 105, Retrofit Bottle Filler Right	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-HAL-RBF01	Main- Outside Room 105, Retrofit Bottle Filler Right	Initial	24-MAY-22	1.000	ug/L
51682	51682-ADD-B-KIT-KS02	Prep Table Sink	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-B-KIT-KS02	Prep Table Sink	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-B-KIT-KS02	Prep Table Sink	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-B-KIT-KS02	Prep Table Sink	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-	Prep Table Sink	Initial	24-MAY-22	1.000	ug/L



Facility ID	Fixture Code	Fixture Location	Draw Type	Collected On	Result	UOM
	B-KIT-KS02					
51682	51682-ADD-1-HAL-F04	Right fountain across from 125	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F04	Right fountain across from 125	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F04	Right fountain across from 125	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F04	Right fountain across from 125	Flush180	24-MAY-22	1.000	ug/L
51682	51682-ADD-1-HAL-F04	Right fountain across from 125	Initial	24-MAY-22	1.000	ug/L
51682	51682-1-N-109-F01	Room 109	Flush180	31-AUG-19	6.060	ug/L
51682	51682-1-N-109-F01	Room 109	Flush180	31-AUG-19	3.930	ug/L
51682	51682-1-N-109-F01	Room 109	Flush180	31-AUG-19	1.940	ug/L
51682	51682-1-N-109-F01	Room 109	Flush180	31-AUG-19	1.470	ug/L
51682	51682-1-N-109-F01	Room 109	Flush180	27-NOV-19	1.000	ug/L
51682	51682-1-N-109-F01	Room 109	Flush180	27-NOV-19	1.000	ug/L
51682	51682-1-N-109-F01	Room 109	Flush180	27-NOV-19	1.000	ug/L
51682	51682-1-N-109-F01	Room 109	Flush180	27-NOV-19	1.000	ug/L
51682	51682-1-N-109-F01	Room 109	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-N-109-F01	Room 109	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-N-109-F01	Room 109	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-N-109-F01	Room 109	Initial	31-AUG-19	2.090	ug/L
51682	51682-1-N-109-F01	Room 109	Initial	27-NOV-19	1.000	ug/L
51682	51682-1-N-109-F01	Room 109	Initial	24-MAY-22	1.000	ug/L
51682	51682-1-N-109-S02	Room 109 Bathroom Sink	Flush180	24-JAN-20	1.000	ug/L
51682	51682-1-N-109-S02	Room 109 Bathroom Sink	Flush180	24-JAN-20	1.000	ug/L
51682	51682-1-N-109-S02	Room 109 Bathroom Sink	Flush180	24-JAN-20	1.000	ug/L
51682	51682-1-N-109-S02	Room 109 Bathroom Sink	Flush180	24-JAN-20	1.000	ug/L
51682	51682-1-N-109-S02	Room 109 Bathroom Sink	Flush180	26-NOV-19	0.011	mg/L
51682	51682-1-N-109-S02	Room 109 Bathroom Sink	Flush180	26-NOV-19	1.000	ug/L
51682	51682-1-N-109-S02	Room 109 Bathroom Sink	Flush180	26-NOV-19	1.000	ug/L
51682	51682-1-N-109-S02	Room 109 Bathroom Sink	Flush180	26-NOV-19	1.000	ug/L
51682	51682-1-N-109-S02	Room 109 Bathroom Sink	Initial	24-JAN-20	1.000	ug/L
51682	51682-1-N-109-S02	Room 109 Bathroom Sink	Initial	26-NOV-19	12.100	ug/L
51682	51682-1-103-S01	Sink in Room 103	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-103-S01	Sink in Room 103	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-103-S01	Sink in Room 103	Flush180	24-MAY-22	1.000	ug/L
51682	51682-1-103-S01	Sink in Room 103	Flush180	24-MAY-22	1.030	ug/L
51682	51682-1-103-S01	Sink in Room 103	Initial	24-MAY-22	1.300	ug/L

